

## **EXHIBIT 11**

As Received:

First set of vehicles as-received:

F-250

	Left	Right	Total	Dist
Front	2382	2329	4711	60
Rear	1631	1546	3177	40
			7888	

Escape

	Left	Right	Total	Dist
Front	1076	972	2048	59
Rear	686	717	1403	41
			3451	

Second set of vehicles as-received:

F-250

	Left	Right	Total	Dist
Front	2346	2365	4711	60
Rear	1631	1499	3130	40
			7841	

Escape

	Left	Right	Total	Dist
Front	1060	994	2054	60
Rear	690	680	1370	40
			3424	



For Testing -

Ford F250 - Total Wt: 8,533 lbs, Distribution 58%/42%.

Ford Escape - Total Wt: 3,940 lbs, Distribution 56%/44%.

On Page 30 (of 32) of the linked FoMoCo 2016 RV Trailer & Towing Guide, Rear Axle Ratio Codes is "31" which 3.31 rear axle ratio

<https://www.ford.com/support/how-tos/search/How%20can%20I%20get%20the%20axle%20ratio%20for%20my%20SUV>

[https://www.fleet.ford.com/content/dam/aem\\_fleet/en\\_us/fleet/towing-guides/Ford\\_Linc\\_16RVTowGuide.pdf](https://www.fleet.ford.com/content/dam/aem_fleet/en_us/fleet/towing-guides/Ford_Linc_16RVTowGuide.pdf)